

## THE UNITED SHATES OF AMERICA

TO ALL TO VHOM THESE: PRESERIS: SHALL COME:: University of Georgia Research Joundation, Inc. and Grosslanz Technology Limited

There has been presented to the

## Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROFESTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT. THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE THEE THERETO IS BROW THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED TO BE ENTITLED TO A CERTIFICATE OF PLANT WAS ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT ROTECTION UNDER THE LAW.

THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID SUDTHE SUCCESSORS, HEIRS OR ASSENS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY LEDATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC FARBLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE OF THERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR SEPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CLOVER, WHITE

### 'DURANA'

In Testimony Photon, I have hereunto set my hand and caused the seal of the Plant Bariety Protection Office to be affixed at the City of Washington, D.C. this seventh day of December, in the year two thousand and seven.

Allaste

Qen ge

Commissioner
Plant Variety Protection Office
Springlywal Workston, Service

Edmond - what

## U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE

ST-470 (02-10-2003) designed by the Plant Variety Protection Office using Word 2000. Replaces former versions of ST-470, which are obs

SCIENCE AND TECHNOLOGY - PLANT VARI	ETY PROTECTION OFFICE	Application is required in order to determine if a plant variety protection certificate is to be issued					
APPLICATION FOR PLANT VARIETY PRO (Instructions and information collection burg		(7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).					
1. NAME OF OWNER		TEMPORARY DESIGNATION OR EXPERIMENTAL NAME	3. VARIETY NAME				
University of Georgia Research Fo and A <del>gResearch Limited, New Zeal</del>	and (AgRes)	GA-43, GC90	Durana				
4. ADDRESS (Street and No., or R.F.D. No., City, State, and	Y Umited ZIP Code, and Country)	5. TELEPHONE (include area code)	FOR OFFICIAL USE ONLY				
Room 630 Graduate Studies Bldg.	,,,	706-542-5942	PVPO NUMBER				
University of Georgia Athens, GA 30602		6. FAX (include area code)	2003 0 0 3 0 5				
		706 519-2027					
7. IF THE OWNER NAMED IS NOT A "PERSON", GIVE FORI	M OF 8. IF INCORPORATED, GIVE	706-542-3837  9. DATE OF INCORPORATION	- FILING DATE / 2003				
ORGANIZATION (corporation, partnership, association, etc.,			AAA				
Corporation	Georgia	Nov. 17, 1978					
10. NAME AND ADDRESS OF OWNER REPRESENTATIVE(S	S) TO SERVE IN THIS APPLICATION. (Fi	rst person listed will receive all papers)	F FILING AND EXAMINATION FEES:				
John Ingle University of Georgia Research F Room 630 Graduate Studies Resear			R DATE 8/05/2003				
University og Georgia Athens, GA 30602			\$ 768. <u>©</u>				
			D DATE 10/03/2007				
11. TELEPHONE (Include area code)	12. FAX (Include area code)	13. E-MAIL	14. CROP KIND (Common Name)				
706-542-5942	706-542-3837	ji@ovpr.uga.edu	White Clover				
15. GENUS AND SPECIES NAME OF CROP		16. FAMILY NAME (Botanical)	17. IS THE VARIETY A FIRST GENERATION HYBRID?				
Trifoluim repens L.		Fabaceae	☐ YES 💆 NO				
18. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT (Follow instructions on reverse)	SUBMITTED		SEED OF THIS VARIETY BE SOLD AS A CLASS OF 13(a) of the Plant Variety Protection Act)				
a. 🗹 Exhibit A. Origin and Breeding History of the Varie	ty	☐ YES (If "yes", answer items :	20 and 21 below) NO (If "no", go to item 22)				
b. Exhibit B. Statement of Distinctness		20. DOES THE OWNER SPECIFY THAT	SEED OF THIS				
c. 🗸 Exhibit C. Objective Description of Variety		VARIETY BE LIMITED AS TO NUMBE	ER OF CLASSES?				
d. M Exhibit D. Additional Description of the Variety (Or	otional)	IF YES, WHICH CLASSES?	OUNDATION  REGISTERED  CERTIFIED				
e. 🗹 Exhibit E. Statement of the Basis of the Owner's C	)wnership	21. DOES THE OWNER SPECIFY THAT	SEED OF THIS YES NO				
f. Voucher Sample (2,500 viable untreated seeds or, verification that tissue culture will be deposited and repositor)		VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?  IF YES, SPECIFY THE NUMBER 1,2,3, etc. FOR EACH CLASS.					
g. Filing and Examination Fee (\$3,652), made payable	e to *Treasurer of the United	FOUNDATION REGISTER	RED CERTIFIED				
States" (Mail to the Plant Variety Protection Office)		(If additional explanation is necessary,	please use the space indicated on the reverse.)				
22. HAS THE VARIETY (INCLUDING ANY HARVESTED MATE FROM THIS VARIETY BEEN SOLD, DISPOSED OF, TRAN OR	RIAL) OR A HYBRID PRODUCED ISFERRED, OR USED IN THE U.S.	23. IS THE VARIETY OR ANY COMPONENT OF THE VARIETY PROTECTED BY INTELLECTUAL PROPERTY RIGHT (PLANT BREEDER'S RIGHT OR PATENT)?					
OTHER COUNTRIES?		₩ YES □ NO					
☐ IF YES ☐ IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE	NO E. DISPOSITION, TRANSFER, OR	IF YES, PLEASE GIVE COUNTRY, DATE OF FILING OR ISSUANCE AND ASSIGNED REFERENCE NUMBER. (Please use space indicated on reverse.)					
USE FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Pk.		and a second of					
The owners declare that a viable sample of basic seed of for a tuber propagated variety a tissue culture will be deported.	the variety has been furnished with applica	ation and will be replenished upon request in	accordance with such regulations as may be applicable, or				
The undersigned owner(s) is(are) the owner of this sexual and is entitled to protection under the provisions of Section	ly reproduced or tuber propagated plant van	ariety, and believe(s) that the variety is new, d	listinct, uniform, and stable as required in Section 42,				
Owner(s) is(are) informed that false representation herein	•	nalties.					
SIGNATURE OF OWNER		SIGNATURE OF OWNER					
Coxdhan L.Co	HQ	SIGNATURE OF UWNER					
NAME (Please print or type)		NAME (Please print or type)					
Gordhan L. Patel							
CAPACITY OR TITLE	DATE	CAPACITY OR TITLE	DATE				
Executive Vice President	7-28-03		r				

#### INSTRUCTIONS

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$3,652 (\$432 filing fee and \$3,220 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$432 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

> **Plant Variety Protection Office** Telephone: (301) 504-5518 FAX: (301) 504-5291 Homepage: http://www.ams.usda.gov/science/pvpo/pvp.htm

200300305

#### ITEM

18a. Give:

(1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;

(2) the details of subsequent stages of selection and multiplication;

(3) evidence of uniformity and stability; and

- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
  - (1) identify these varieties and state all differences objectively;
  - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
  - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)

22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

5 October 2002 by Pennington Seed, Madison, GA Date of first sale:

23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

New Zealand, 19 March 2002, NZ application #CL0038

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center--East, Beltsville, MD 20705. Telephone: (301) 504-8089. http://www.ams.usda.gov/lsg/seed.htm

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 3.0 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Brailfe, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice ar TDD). USDA is an equal opportunity provider and employer.

ST-470 (02-10-2003) designed by the Plant Variety Protection Office with Word 2000. Replaces former versions of ST-470, which are obsolete

## WHITE CLOVER 'Durana'

## 18A. Origin and Breeding History of the Variety

'Durana' is an 84 parent synthetic variety tracing to one hundred, ninety-two (192) naturalized ecotypes collected in September 1992 from perennial grass pastures near Eatonton, GA (latitude 33° 25'02.47" North; longitude 83° 28'36.24" West). The parentage of these ecotypes is unknown, but all were found to be exclusively stolon dense, intermediate leaf types (T. repens f. hollandicum Erith ex Jav. & Soo) as defined by Fick and Luckow (1991). As intermediate types, they may have actually come in with early settlers from Europe (late 1700s) or may have been planted as late as the 1930's and 1940's. It is simply impossible to tell. The best we can do here would be to label these as "Dutch White" as it would be the best general estimation on our part. These 192 ecotypes were inter-mated and seedlings from the 12 ecotypes with the highest seed yielding ability were established as a half-sib progeny performance trial to determine their grazing persistence in grass swards. After 14 months of exposure to grazing with beef cattle, the 7 most vigorous appearing progeny genotypes from within each of the 12 half-sib families were then selected (e.g. among and within family selection) from this grazing persistence trial (84 total parental genotypes selected), inter-mated in field isolation in a replicated crossing block, and all seed from each genotype bulked to produce the prebreeder's seed (Syn 1 generation). Breeder's seed (Syn 2 generation) was increased in isolation from the pre-breeder's seed.

'Durana' was stable and uniform through two generations of certified seed multiplication (e.g. breeder and foundation generations). There were no variants observed between the breeder and foundation generatios for number of stolon growing points, plant spread (length and width), plant height, leaflet size (length and width), petiole length, heading date, number of seedheads per plant, and % cyanomorphic plants when tested at two locations in Georgia, Watkinsville and Eatonton (Tables 1 and 2). No off-types were recorded during these same evaluations.

#### References

Fick, G.W., and M.A. Luckow. 1991. What we need to know about scientific names: An example with white clover. J. Agron. Educ. 20:141–147.

## 200300305

## WHITE CLOVER 'Durana'

### 18B. Statement of Distinctness

'Durana' is most similar to 'Louisiana S-1' and 'Patriot'.

'Durana' differs from 'Louisiana S-1' in having more stolon growing points per unit area, a greater plant width and length, more seedheads per plant, a shorter plant height, a smaller leaflet, and a shorter petiole when tested at two locations in Georgia, Watkinsville and Eatonton (Tables 1 and 2).

Cluster analysis based on SSR markers also showed a distinct dendrogram grouping (Figure 1; from Jahufer et al. 2003) for 'Durana' (Gr 11) that differed completely from 'Louisiana S-1' (Gr 4).

'Durana' differs from 'Patriot' in having shorter individual plants, smaller leaflets, shorter petioles, an earlier heading date, and higher % of cyanomorphic plants when tested at two locations in Georgia, Watkinsville and Eatonton (Tables 1 and 2).

### Reference

Jahufer, M.Z.Z., B.A. Barrett, A.G. Griffiths, and D.R. Woodfield. 2003. DNA fingerprinting and genetic relationships among white clover cultivars. Proc. NZ Grassland Assoc. 65:163-169).

## UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE

BELTSVILLE, MARYLAND 20705

Exhibit C OBJECTIVE DESCRIPTION OF VARIETY 'Durana' WHITE CLOVER

4=Other (specify) 143A-Royal Hort, Colour Chart

(TRIFOLIUM Repens) 2003 0 0 5 5
Place the appropriate number that describes the varietal character of this variety in the boxes below. Fill unused columns with zeroes (e.g. 0 9 9 when number is 99). In comparisons to standard varieties, the value 0 0 should only be used to indicate that the varieties are equal. The symbol indicates a decimal point. Characteristics described, including numerical measurements, should represent those which are typical for the variety. Measured data should be for spaced plants. Any recognized color fan, e.g. Royal Horticultural Colour Chart, may be used to determine plant colors; designate system used:  Royal Horticultural . Give location of test area Georgia . Ranges of values are valuable and may be included with additional description elsewhere in the application.
NOTE: For single plant data a minimum of 100 plants is suggested.
1. TYPE: 2 1=Small 2=Intermediate 3=Large (Ladino) 4=Other (specify)
STANDARD VARIETIES
l=Louisiana S-l 2=Regal 3=Pilgrim 4=Merit 2. MATURITY:
1 0 0 % Plants flowering in seedling year
Time of flowering (50% of plants in bloom): (from spring growth in non-seed Year)
Days earlier than 2 standard variety Days later than 1 standard variety
3. GROWTH HABIT:  1 l=Prostrate (Grasslands Huia) 2=Erect (Regal)  2 l=Lax (Regal) 2=Dense (Grasslands Huia)  Plant Height (from soil level to top of flowering head at 50% flowering):  3 cm tall  2 cm shorter than 1 standard variety  cm taller than standard variety  Plant Width (average of 2 horizontal measurements of leaf spread at top of plant at 50% flowering of 2nd year):  13 cm Wide cm narrower than standard variety  3 cm wider than standard variety
4. LEAF (Central leaflet of 3rd leaf from tip of rapidly growing stolon - usually in summer months):    8 2
Lightermer & Magne gawan tragement in remover providing.

3=Dark green (S-184)

Onny na Za E 'Durana	Multe Closet - 5
WHITE LEAF MARKING (at 50% flowering): Note categories increasingly detailed description of the same data. Discontinuous description of the same data.	below allow for agram illustrates
terms:   l=Full V 2=Broken V 3=V-point	4 \$ 5
Presence of mark: of total plants, give percentage of man plants (total=100%)  1 2 % Absent  8 8 % Marked	rked and unmarked
	each shape (Total= -point ther (specify)
ANTHOCYANIC (Red) LEAF MARKING (Some leaves of plants exdeveloped at temperatures of 10°C or less): of total plants and unmarked (red flecking, red midrib, or red leaf) and unmarked ( % Absent % Marked	lants give percentage
5. STOLON: Give widest diameter of stolon at point of measured above (3 <sup>rd</sup> node from tip)	attachment of leaf
mm diameter mm narrower than standar	
6. FLOWERING HEAD (at 50% flowering of variety):  3 9 heads/plant 1 6 no. greater than 1 no. fewer than sta	
7. DISEASE AND PEST RESISTANCE: (0=not tested, 1=suscep 2=resistant). If variety is claimed to be resistant or reaction, substantiating test scores should be attached disease, application variety, check varieties, location and direction of test scores.	to show intermediate clearly identifying
A. STOLON AND ROOT ROTS  O Fusarium spp O Rhizoctonia spp O Colletotrichum spp O Leptodiscus spp O Cervularia spp O Sclerotium rolfsii O Sclerotinia trifoliorium O Other (speci	mosaic w mosaic w vein mosaic ein mosaic
NEMATODES O Root knot O Sting O Meadow O Clover cyst O Clover head weevil (Miccotrogus pictor) O Clover head weevil (Mypera meles) O Clover leaf weevil (Mypera meles) O Meadow spittlebugs (Philaenus spume) O Clover root curculio (Sitonia hisp: O Potato leafhopper (Empoasca fabae)	a gentneri) ircatris) arius)

## 200300305

ð

Indicate the variety most losely resembling the application variety for the following:

CHARACTER	VARIETY	CHARACTER	VARIETY
Leaflet shape	Louisiana S-l	Seed color	
Cutting recovery		Late season growth	
Winter hardiness	Louisiana S-1	Persistence	

- Brewbaker, J. L. and H. L. Carnahan. 1956. Leaf marking alleles in white clover. Uniform nomenclature. Journ. Heredity 47:103-104.
- Hawkins, R. P. 1959. Botanical characters for the classification and identification of varieties of white clover. J. Nat. Inst. Agr. Bot. 8: 675-682.
- I.S.T.A. (Herbage) Variety Committee, 1972. Draft paper on tests for identification and trueness to cultivar. Proc. Int. Seed Test. Assoc. 37:443-495.

## WHITE CLOVER 'Durana'

## 18D: Additional Description of the Variety

'Durana' is an intermediate type white clover, *Trifolium repens L.*, intended for use as a renovation legume for grass pastures for livestock production in the southeastern USA (Bouton et al. 2005). It is a persistent, low growing, densely spreading, profuse flowering variety with a leaf color equivalent to green class 143A on the Royal Horticultural Society Colour Chart.

'Durana' was granted Plant Variety Rights in New Zealand on 4 March 2004 (No. 2184).

'Durana' is similar to 'Louisiana S-1' in heading date and % of cyanomorphic plants when tested at two locations in Georgia, Watkinsville and Eatonton (Tables 1 and 2).

Cluster analysis based on SSR markers also showed a distinct dendrogram (Figure 1; from Jahufer et al. 2003) grouping for 'Durana' (Gr 11) that differed from 'Grasslands Huia' (Gr 1), 'Grasslands Sustain) (Gr 3), and 'Regal' (Gr 7).

'Durana' differs from 'Regal' in having more stolon growing points per unit area, a shorter plant height, a smaller leaflet, a shorter petiole, an earlier heading date, a greater number of seedheads per plant, and a higher % of cyanomorphic plants when tested at two locations in Georgia, Watkinsville and Eatonton (Tables 1 and 2). 'Durana' demonstrated better pasture persistence and higher animal gains than 'Regal' in Georgia trials (Bouton et al. 2005).

'Durana' differs from 'Grasslands Huia' in having more stolon growing points per unit area, a shorter petiole, an earlier heading date, a greater number of seedheads per plant, and a higher % of cyanomorphic plants when tested at two locations in Georgia, Watkinsville and Eatonton (Tables 1 and 2).

'Durana' differs from 'Grasslands Sustain' in having more stolon growing points per unit area, a shorter (height) but wider plant (length and width), a smaller leaflet, a shorter petiole, an earlier heading date, a greater number of seedheads per plant, and a higher % of cyanomorphic plants when tested at two locations in Georgia, Watkinsville and Eatonton (Tables 1 and 2).

### References

Bouton, J.H., D.R. Woodfield, C.S. Hoveland, M.A. McCann, and J.R. Caradus. 2005. Enhanced survival and animal performance from ecotype derived white clover cultivars. Crop Sci. 45:1596-1602.

Jahufer, M.Z.Z., B.A. Barrett, A.G. Griffiths, and D.R. Woodfield. 2003. DNA fingerprinting and genetic relationships among white clover cultivars. Proc. NZ Grassland Assoc. 65:163-169).

Table 1. Characteristics of two generations of 'Durana' white clover tested at Watkinsville, GA against six standard check varieties . Experimental design was randomized complete block design with 10 blocks. Each plot consisted of row of 12 plants spaced planted on 0.75 m centers.

Revised 30 April 2007

	Stolon		Plant		Leg	Leaflet	Leaf			
Variety	Growing	Length	Width	Height	Length	Width	Petiole	Heading	Seedheads	Cyanomorphic
Generation)†	Points						Length	Date		Plants§
	no. / $0.1 \text{m}^2$		cm			mm		DOY‡	no. / plant	%
Ourana (BRD)	36.8	11.2	10.9	2.6	12.4	6.6	31.7	106.2	15.9	79.2
Ourana (FTD)	36.6	10.2	10.7	2.5	11.6	10.0	32.6	105.9	14.8	84.6
Patriot (BRD)	33.6	11.8	12.4	4.6	14.7	11.6	44.0	109.1	14.6	49.0
Patriot (FTD)	33.6	11.0	11.5	4.6	14.3	11.2	44.3	108.5	16.3	49.1
Louisiana S-1	24.2	7.8	8.5	4.2	14.0	11.6	45.1	106.6	10.5	89.2
Huia	23.4	8.1	6.7	3.1	12.5	11.1	44.4	115.1	1.1	65.2
Sustain	21.6	8.9	9.2	4.4	14.2	12.1	49.5	111.3	3.9	69.1
Regal	19.0	11.6	12.8	8.5	19.5	14.9	6.89	112.9	16.9	8.3
LSD $(p<0.05)$	3.3	1.5	1.5	0.7	8.0	1.0	6.9	2.2	4.0	10.4
						1		7.000		

†BRD=Breeder seed generation; FTD=Foundation seed generation.

‡DOY=Day of year or average number of days from January 1.

§Analyzed via picric acid test using procedures from Corkill, L. 1940. Cyanogenesis in white clover (Trifolium repens L.).

Cyanogenesis in single plants. New Zealand J. Sci. Tech. 22: 65-67B.

Table 2. Characteristics of two seed increase generations of 'Durana' white clover tested at Eatonton, GA against six standard check varieties. Experimental design was randomized complete block design with 10 blocks. Each plot consisted of row of 12 plants spaced planted on 0.75 m centers.

Revised 30 April 2007

	ıic											
	Cyanomorphic	Plants	%	83.6	88.2	40.0	33.2	77.2	63.8	63.0	10.0	19.5
	Seedheads		no. / plant	41.9	36.4	30.8	29.8	23.4	3.0	8.7	23.1	6.2
	Heading	Date	DOY:	103.9	103.7	106.9	106.1	104.3	112.9	109.1	110.6	2.1
Leaf	Petiole	Length		26.8	26.6	34.0	35.4	39.7	38.8	37.9	63.1	7.2
Leaflet	Width		uiui	9.1	8.9	10.6	10.8	10.4	10.6	10.8	14.1	1.0
Le	Length			12.5	12.4	14.2	15.2	14.2	13.5	14.2	18.6	1.5
	Height			3.6	3.5	4.5	4.5	5.1	4.1	4.3	8.6	8.0
Plant	Width		cm	14.9	14.5	14.2	12.4	10.9	12.9	10.1	11.7	 2.3
	Length			14.9	15.4	15.1	13.2	12.8	10.7	10.6	11.9	 2.5
Stolon	Growing	Points	no. / 0.1m <sup>2</sup>	37.9	38.2	35.2	35.0	27.1	21.3	22.9	21.6	3.8
	Variety	(Generation)†		Durana (BRD)	Durana (FTD)	Patriot (BRD)	Patriot (FTD)	Louisiana S-1	Huia	Sustain	Regal	LSD (p<0.05)

†BRD=Breeder seed generation; FTD=Foundation seed generation.

‡DOY=Day of year or average number of days from January 1.

§Analyzed via picric acid test using procedures from Corkill, L. 1940. Cyanogenesis in white clover (Trifolium repens L.).

Cyanogenesis in single plants. New Zealand J. Sci. Tech. 22: 65-67B




Figure 1. Dendrogram based on cluster analysis of cultivar by SSR marker matrix. Fusion points and cultivars (Hui, Huia; Ara, Aran; Pre, Prestige; Cha, Challenge; Kp2, Kopu 2; Dem, Demand; Sus, Sustain; GC95; Lou, Louisiana S1; Hai, Haifa; Mlk, Milkanova; Pit, Pitau; Bou, Bounty; Srv, SRVR; Reg, Regal; Til, Tillman 2; Des, Destiny; Tah, Tahora; Kp, Kopu; Cru, Crusader; Mil, Milton; Tri, Tribute; GC91; Col, Colt; Pat, Patriot; Dur, Durana; Trf, Triffid; Nom, Nomad; Bar, Barblanca; Eme, Emerald; NuS, NuSiral); GC122; at the 14 group (Gr) level, are shown.

	REPRODUCE ECCAELT: Include form humber and edition date on all	reproductions.	3KM AFFROVED - OMB NO. 0361-0033
	U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE	Application is required in order to date	realization of a plant variety protection
	AGRICULTURAL MARKETING SERVICE	Application is required in order to detect certificate is to be issued (7 U.S.C. 24	
	EXHIBIT E	confidential until the certificate is issue	
	STATEMENT OF THE BASIS OF OWNERSHIP	O TEMPOPARY PEOLOMETICAL	O VARIETY/MANE
llnive	1. NAME OF APPLICANT(S) rsity of Georgia Research Foundation, Inc. (UCARF)	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME
NA and A	gResearch Limited, New Zealand (Agres) (cassioners Technology Limited	GA-43, GC90	Durana
10-6	4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (Include area code)	6. FAX (Include area code)
	630 Boyd Graduate Studies Bldg. rsity of Georgia	706-542-5942	706-542-3837
Athen		7. PVPO NUMBER	
		<b>200</b> 3 0 0 3 0	
	8. Does the applicant own all rights to the variety? Mark an "X" in the		
		•	
	9. Is the applicant (individual or company) a U.S. national or a U.S. ba	ased company? If no give name of co	untry. YES NO
	o. to the applicant (marvidual of company) a c.c. national of a c.c. of	asca company: If no, give name of co	
*			UGARF AgRes NZ
	10. Is the applicant the original owner?	NO If no, please answer <u>one</u> o	of the following:
	a. If the original rights to variety were owned by individual(s), is (a	are) the original owner(s) a U.S. Nationa	l(s)?
	YES [	NO If no, give name of countr	
\$			
	b. If the original rights to variety were owned by a company(ies),		
	YES	NO If no, give name of country	1
	11. Additional explanation on ownership (Trace ownership from origin	nal breeder to current owner. Use the re	verse for extra space if needed):
	· · · · · · · · · · · · · · · · · · ·	iai brooder to danont elimer. Ode the re	renes for extra space in the end.
	Can Attachad		
	See Attached		
٠.			
	PLEASE NOTE:		
-	Plant variety protection can only be afforded to the owners (not licens	ees) who meet the following criteria:	
	If the rights to the variety are owned by the original breeder, that per	erson must be a U.S. national, national o	of a UPOV member country, or
	national of a country which affords similar protection to nationals of	f the U.S. for the same genus and specie	es.
	<ol><li>If the rights to the variety are owned by the company which employ nationals of a UPOV member country, or owned by nationals of a c genus and species.</li></ol>		
	3. If the applicant is an owner who is not the original owner, both the o	original owner and the applicant must m	eet one of the above criteria.
: .	The original breeder/owner may be the individual or company who din Act for definitions.	rected the final breeding. See Section 4	1(a)(2) of the Plant Variety Protection
· -	According to the Paperwork Reduction Act of 1995, en agency may not conduct or sponsor, a control number. The valid OMB control number for this information collection is 0581-0055. including the time for reviewing the instructions, searching existing data sources, gathering an	The time required to complete this information collec-	ion is estimated to average 0.1 hour per response,
	The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and ac marital or family status, political beliefs, parental status, or protected genetic information. (No communication of program information (Braille, large print, audiotape, etc.) should contact US	ot all prohibited bases apply to all programs.) Person	s with disabilities who require alternative means for

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provide and employer.

## WHITE CLOVER 'Durana'

## 18E. Statement of the Basis of the Owner's Ownership

The variety for which plant variety protection is hereby sought is owned jointly by the University of Georgia Research Foundation, Inc. (UGARF) and AgResearch Limited, a New Zealand Corporation (AgRes).

Ownership by UGARF is based on the Patent Policy approved by the Board of Regents of the University System of Georgia on June 9, 1982, in which the Board of Regents assigned to UGARF all rights in intellectual property developed or created by employees at the University of Georgia, one of the Universities of the University System of Georgia. Rights to novel plant varieties developed at the University of Georgia, including 'Durana' white clover, are covered by said Patent Policy. As an employee of the University of Georgia, Joseph H. Bouton, pursuant to said Patent Policy, has assigned his rights in 'Durana' to UGARF.

Dereck Woodfield is an employee of AgResearch, Ltd., New Zealand, and has assigned his rights in 'Durana' to AgRes.

200300305

grassanz"
unique plant opportunities

### Grasslanz Technology Ltd

Private Bag 11008 Tennent Drive Palmerston North New Zealand

Phone +64 6 351 8255 Fax +64 6 351 8240 www.grasslanz.com

3<sup>rd</sup> December 2004

The Commissioner
Plant Variety Protection Office
Agriculture Marketing Service
Dept. of Agriculture
Beltsville, Maryland 20705 – 2351

### Assignment of ownership in Plant Varieties Registered in the United States.

Please find enclosed a Letter of Authority for the transfer of ownership of the plant varieties listed in the attached Schedule of Property to be Transferred.

Ownership has been transferred from \*AgResearch Limited to: \*See Authority Letter

## Grasslanz Technology Limited, Private Bag 11008, Tennent drive, Fitzherbert West, Palmerston North, New Zealand.

Would you please therefore amend your records to reflect these changes, and where relevant, note that Grasslanz Technology Limited is now also the maintainer of these varieties.

Please also note that in regard to those varieties registered in Joint Ownership only the AgResearch Limited interest is transferred to Grasslanz Technology Limited. The other partner details are unchanged.

Any costs incurred to Grasslanz Technology Limited for the requested actions will be paid on receipt of an invoice sent to the undersigned at the above address.

Thank you in anticipation.

Yours sincerely

Jeff E. Miller

Manager. Intellectual Property

GRASSLANZ TECHNOLOGY LIMITED

14



AgResearch Centre
Grasslands Private Bag 11008
Palmerston North, New Zealand

none +64 6 356 8019 mile +64 6 351 8032 www.agresearch.co.nz

200300305

20th October 2004

### TO WHOM IT MAY CONCERN:

This document serves to give notice and authority for the transfer of ownership of the Intellectual Property described on the attached 'Schedule of Intellectual Property Currently Registered in the Name of \*AgResearch Limited to be Assigned'. ('The Schedule').

The ownership of the Intellectual Property so described in 'The Schedule' attached is transferred to:

Grasslanz Technology Limited, Private Bag 11008, Tennent Drive, Fitzherbert West, Palmerston North, New Zealand.

effective from 1st July 2004.

Grasslanz is an Incorporated Company (No. 1368159) under the New Zealand Companies Act 1993 and a wholly owned subsidiary company of AgResearch Limited.

\*Previously The New Zealand Pastoral Agriculture Research Institute Limited and formerly Department of Scientific and Industrial Research (DSIR).

Dated this 3 rd day of November 2004

Director/Authorised Signatory for AgResearch Limited

Page 1 of 1

# 'Schedule of Intellectual Property Currently Registered in the Name of AgResearch Limited to be Assigned'

(United States Plant Variety Protection Office)

Variety name/code	Grant/Application No.
Grasslands Egmont	8900219
Grasslands Puna	9000157
Grasslands Gala	9300233
Grasslands Tekapo	9400057
Grasslands Advance	9300283
Grasslands Demand	9600258
Grasslands Sustain	9600259
Tillman II	9800116
Dixon	200100129
Lakota	200100128
Grasslands Kopu II	200200014
Flecha	200300012
Durana (Joint Application)	200300305
Patriot (Joint Application)	200300304
	and the second second second

grasslanz T

Grassianz Technology Ltd Private Bag 11008 Tennent Drive Palmerston North New Zealand

DDI +64 6 351 8027 Fax +64 6 351 8240 Email jeff.miller@grasslanz.com www.grasslanz.com

Jeff Miller Intellectual Property Manager